

| | | |
|-------------------------------------|------------------|--|
| Product | Name | Organoid® MOOS MIX on flax backing self-adhesive |
| | Article number | MOSMIX0085FVSST |
| | Producer | Address ORGANOID® TECHNOLOGIES GMBH Nesselgarten 422 / Top 5 A-6500 Fließ Austria |
| Description and applications | Name | Organoid® MOOS MIX on flax backing self-adhesive |
| | Description | Natural plant material in full coverage on natural non-woven flax backing on strong self-adhesive foil produced climate neutral in Tyrol, Austria |
| | Applications | Suitable for applications on smooth surfaces such as glass, metal, composite materials or rough surfaces like plasterboard or concrete. Ideal for adding a finish to furniture or walls. |
| Plant material and density | Plant material | Bright green and dark green upcycled moss |
| | Density | Premium density, full coverage |
| Size and weight | Size | 1 360 mm by 2 950 mm |
| | Thickness | 1.4 mm |
| | Weight | 830 g/m ² |
| Product requirements | Food-safety | Binding agent safe for usage in contact with food in accordance with EU-regulation 1935/2004 |
| Backing material | Material | Natural, non-woven flax fleece on self-adhesive foil |
| | Properties | Strong adhesive, backing made from renewable resources |
| | Requirements | PVC-free Contains no dangerous substances in accordance with annex 2, § 3 of the regulation (EC) 1907/2006 heat-resistant up to 120° C |
| Technical implementation | Cut | Use scissors, a cutter or a plotter |
| | Edges | Allow for imperfections 1-2 mm around the edges |
| | How to install | Draw the release paper from the self-adhesive foil, place on chosen surface (dry application) |
| | Pay attention to | Exact placement of the foil is important, as readjustments are not possible due to the strong adhesive qualities of the product. The haptics and optical appearance of the moss can change with air moisture levels: with |

increased moisture, the surface appears more smooth and soft, with lower moisture, it is harder and more brittle. This can lead to the surface area varying slightly. This may lead to gaps forming with butt joint application (up to 2 mm). This is a natural characteristic of moss and not a reason to issue a complaint.

Acclimatisation of Organoid natural surfaces:

- Bring product to room temperature before unpacking
- Store product protected from light, at about 20°C and 50-65 % relative humidity

Processing guidelines
available at:

www.organoids.com/en/installation-technical-implementation