

ACOUSTIC TILES *MODULAR*




Installation instructions power magnets




INSTALLATION WITH *POWER MAGNETS*

Included:




installation template



Active Core claws

4 per Tile




power magnets

4 per Tile




screws for claws

8 per Tile




Acoustic Tiles


You also need:




screwdriver



drill



pen




level



appropriate screws and
dowels for mounting the
power magnets

je 4
pro Tile



Technical Specifications:

D: 16 mm

H: 4,5 mm


d1: 3,5 mm

d2: 7,22 mm

t: 1,86 mm


1

Align the template
using a level.
Mark 4 drill holes.




2

Drill holes and
insert dowels.




3

Attach the power
magnets using
screws that are
suitable for your
surface.




4

Place the installation template on the back of the Acoustic Tiles and mark 4 points on each one.




5

Align the holes in the claws with the marked points and screw the claws in place.



6


Connect the claws with the power magnets and attach the Acoustic Tile.



7

Repeat steps 1–6 with all the remaining Acoustic Tiles.

Rotate the tiles as you like to change the design.



Aesthetics & Acoustics

ORGANOID GmbH

Headquarter:
Nesselgarten 422
6500 Fliess

Sales Office:
Kaiserjägerstraße 4a
6020 Innsbruck

+43 5449 200 01 | info@organoids.com | www.organoids.com