

Organoid® Manual

Version 1.0: July 2025

Recommendations for installing Organoid® Wall Absorber



Wall mounting
Acoustic product

Table of contents

STORING _____ 3

PLEASE NOTE _____ 3

WALL MOUNTING _____ 4

Storing

Bring to room temperature before unpacking. Store product in closed, dry rooms, at a normal temperature and protected from light (at about 20°C and 30-60 % relative humidity).

Please note

In case any anomalies and/or defects occur, Organoid® has to be contacted in written form immediately. Please check before installation if the delivery has any anomalies and/or defects.

Natural surfaces by Organoid® are made from natural plant fibres, therefore individual products of the same type may vary in colour, smell, or texture. Allow for the dimensions of the surfaces to vary up to +/- 2%, as they are unavoidable from a technical point of view. Small deviations due to these biological properties are therefore not a reason for complaint or warranty claims.

Wall mounting

- **Determine the fixing points:** Measure the exact position of the fixing points on the back of the absorber.
- **Transfer measuring points:** Transfer the measured points to the wall and ensure horizontal alignment using a spirit level.
- **Preparation for installation:** Drill holes at the marked points.
- Select and insert suitable wall plugs and screw hooks according to the condition of the wall.
- **Fasten the folding absorber:** Carefully place the folding absorber on the screw hooks. If necessary, adjust the position by moving it to the left or right.



Video tutorial: Organoid® Wall absorber mounting





